

SAFETY DATA SHEET DRY GRAPHITE LUBRICANT

Conforms to GHS Version 4.0 2024 HazCom Revisions

Print Date: 03-Oct-2024 Revision Date 03-Oct-2024 Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Dry Graphite Lubricant

Other means of identification

Synonyms none

Recommended use of the chemical and restrictions on use
Uses advised against
No information available

<u>Details of the supplier of the safety data sheet</u>
Supplier Address
Zircon Industries Incorporated
4920 Commerce Parkway #9
Cleveland, OH 44128
216-595-0200

E-mail address staff@liquidheat.com

Emergency telephone number

Emergency Telephone InfoTrac 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin Corrosion / Irritation	Category 2
Serious Eye Irritation	Category 2A
STOT (Single exposure)	Category 3
STOT (Repeated exposure)	Category 2
Gasses under pressure	Category 1
Flammable Aerosol	Category 1
Flammable Liquid	Category 1

Label elements

Emergency Overview

DANGER



Hazard statements

Causes Skin Irritation

Extremely Flammable Aerosol

May be fatal if swallowed

Causes eye damage/irritation

Contains Gas Under Pressure; may explode if heated

May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention

Flammable liquid and vapor

May be fatal if swallowed and enters airway.

Causes skin irritation.

Use personal protective equipment as required.

Pressurized container. Do not pierce or burn, even after use

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

IF EXPOSED or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store in well-ventilated area

Do not expose to temperatures above 50C / 122F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Unknown Acute Toxicity 0% of the substance or mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS No.	Weight-%	Trade Secret
2-Propanol	67-63-0	40-60	*
n-Butyl Alcohol	71-36-3	0-2	*
1-Methoxy-2- Propanol	107-98-2	1-5	*
Propane	74-98-6	10-20	*
Butane	106-97-8	10-20	*
Heptane	142-82-5	5-15	*
Toluene	108-88-3	0.5-1.5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician

immediately.

Skin Contact Wash off immediately with soap and plenty of water.

<u>Inhalation</u> Move to fresh air. Call a physician if symptoms develop or persist..

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

spill/leak.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning upCover liquid spill with sand, earth or other non-combustible absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Conditions for safe storage, including any incompatibilities Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Storage Conditions

Exposure Guidelines

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety Glasses with Side Shields.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly

after handling. Keep away from food, drink and animal feeding stuffs.

Exposure Limits

2-Propanol

200 ppm 492 mg/m3 TLV ACGIH 400 ppm 984 mg/m3 STEL ACGIH 400 ppm 980 mg/m3 PEL OSHA 400 ppm 980 mg/m3 REL NIOSH 500 ppm 1225 mg/m3 STEL NIOSH

Butane

200 ppm 1640 mg/m3 TLV NIOSH 400 ppm 984 mg/m3 STEL ACGIH 400 ppm 1000 mg/m3 PEL OSHA

Heptane

200 ppm 400 mg/m3 TLV ACGIH 400 ppm 500 mg/m3 STEL ACGIH 400 ppm 500 mg/m3 PEL OSHA 400 ppm 500 mg/m3 REL NIOSH 500 ppm 1225 mg/m3 STEL NIOSH

Propane

200 ppm 492 mg/m3 TLV ACGIH 400 ppm 984 mg/m3 STEL ACGIH 400 ppm 980 mg/m3 PEL OSHA 400 ppm 1000 mg/m3 REL NIOSH 500 ppm 1225 mg/m3 STEL NIOSH

Toluene

420 ppm 980 mg/m3 REL NIOSH 320 ppm 560 mg/m3 STEL NIOSH

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid aerosol	Odor threshold	No information available
Appearance	clear	Odor	alcohol

Color black

Property
pHValuesRemarks • Method
No information availableMelting point/freezing pointNo information availableBoiling point / boiling rangeNo information available

Flash point below 73F

Evaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limit in Air

Upper flammability limit:

Lower flammability limit:

No information available

No information available

Vapor pressure 101.3mm/hg

Vapor density

Water solubility Insoluble

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information available

English US OSHA

Oxidizing properties		No information available
Other Information Explosion severity Danger of Explosion, cloud Minimum Ignition Energy, 0 mJ		No information available
KST, (cloud), bar.m.s-1 Pmax maximum explosion pressure, Cloud, bar		No information available No information available
VMP, (cloud), bar.s-1 LOC Limiting Oxygen Concentration, Cloud, %v/v	<i>i</i> O2	No information available No information available
Softening point Molecular weight Density Bulk density Specific Gravity	0.71@ 25C	No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical Stability

Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials. High temperatures

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon Dioxide, Carbon Monoxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes serious eye damage. Can be fatal if swallowed

Inhalation Is a respiratory sensitizer.

Eye contact

Causes eye damage/irritation.

Skin Contact

Causes skin damage/irritation

Ingestion Can be fatal if swallowed.

Information on toxicological effects

2-Propanol	LD50 Dermal	Rabbit	12800mg/kg
	LD50 Oral	Rat	5000 mg/kg
Butane/Heptane	LC50 Vapor Inhalation	Rat	658000mg/kg
	LC50 Gas Inhalation	Rat	48000mg/kg
Toluene	LC50 Inhalation	Rat	49g/l
	LD50 Oral	Rat	636 mg/kg

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity

Carcinogenicity No information or data specific to the product on this toxicological (health) effect is

available.

Reproductive toxicity

STOT - single exposure

No information or data specific to the product on this toxicological (health) effect is

available.

English US OSHA

Revision Date 03-Oct-2024

Dry Graphite Lubricant

STOT - repeated exposure No information or data specific to the product on this toxicological (health) effect is

available.

Target Organ Effects

Aspiration hazard No information or data specific to the product on this toxicological (health) effect is

Central nervous system, Eyes.

available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity - LC 50 Values

2-Propanol Fish Rasbora Heteromorpha 4200mg/l 96 Hours

Heptane/Butanol Fish Pimephales Promelas 173000 ug/l 96 Hours

Toluene Fish Albumus Albumus 800000 ug/l 96 Hours

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT Proper Shipping Name: Aerosols (flammable)

IMDG Aerosols(flammable). - NOT A MARINE POLLUTANT

IATA: Aerosols (flammable)

DOT, IMDG, IATA Primary Hazard Class: 2.1

Label Required 3

UN Number . UN 1950

15. REGULATORY INFORMATION		
International Inventories		
AICS	Yes	
DSL	Yes	
NDSL	No	
IECSC	Yes	
EINECS	Yes	
ELINCS	No	
ENCS	Yes	
KECL	Yes	
PICCS	Yes	
TSCA	Yes (Registered Lautenberg 21st act)	

English US OSHA

NZIoC Yes

Legend:

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	Yes	
Sudden release of pressure hazard	Yes	
Reactive Hazard	No	

CERCLA

This material, as supplied, contains no substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 311/312 Hazardous Yes

<u>Classified hazard categories</u>

Eye Damage or Irritation, skin damage or irritation

Aspiration hazard, Flammable.

<u>California Prop 65</u> None

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2* Flammability 3 Physical hazards 0 Personal protection X

Revision Date 03-Oct-2024

Revision Note

00-001-2024

SDS sections updated (***) GHS 4.0 2024

Disclaimer

The information provided above is intended as a guide to assist in the safe handling, use, processing, storage, transportation, disposal and release of the material listed. Nothing contained herein is to be considered as an express or implied warranty of performance or quality. The information relates only to the specific material designated and may not be applicable when such material is used in combination with any other materials or as part of any process, except as otherwise expressly described herein. The information is believed to be true and correct as of the date issued. Always make sure you are using the most current information available. The material described herein is produced for commercial and industrial use only and unless otherwise specifically designated by the manufacturer in writing has not received any specific regulatory approval such as approvals for food contact or for use in medical/surgical applications or devices. It is buyer and user's sole and exclusive responsibility to ensure that any handling, use, processing, storage, transportation, disposal and release of the material complies with all applicable laws, rules and regulations.

End of Safety Data Sheet

English US OSHA